## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1046	719/318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:13
L2	7808	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:13
L3	5594	709/224.ccls. and @ad<"20031203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:13
L4	773	719/318.ccls. and @ad<"20031203"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:13
L5	14	Brady.in. and Johnson.in. and Stevens.in. and Volk. in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:14
L6	7	"Network Intelligence Corporation".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:14
L7	7	(US-20050125807-\$ or US-20070011310-\$ or US-20070011308-\$ or US-20070011309-\$ or US-20070011307-\$ or US-20070011306-\$ or US-20070011305-\$).did.	US-PGPUB	OR	ON	2008/08/15 10:15
L8	1	L7 and captur\$5 with (notification or notif\$5). clm. and (identify\$5).clm. and (updat\$5 with index). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:15
L9	2	L7 and captur\$5 with (notification or notif\$5). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:16

L10	50975	@ad<"20031203" and ("709"/\$3.ccls. or "719"/ \$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:17
L11	12	"20050114321" or "20050114506" or "20050114508" or "20050114706" or "20050114707" or "20050114708"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:18
L12	2	"20050114505"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:19
L13	220	@ad<"20031203" and ("709"/\$3.ccls. or "719"/ \$3.ccls.) and (SYSLOG or SNMP or NetFlow or TCP) near5 (notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:37
L14	30	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (SYSLOG or SNMP or NetFlow or TCP) near5 (notification) and (log\$5 near5 notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:38
L15	128	@ad<"20031203" and ("709"/\$3.ccls. or "719"/ \$3.ccls.) and (log\$5 near5 network near5 activity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:40
L16	1	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (log\$5 near5 network near5 activity) and (log\$5 near5 IP adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:41
L17	8	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (log\$5 near5 network near5 activity) and (identify\$5 or log\$5) near5 (source or originator or sender) near5 (packet or data or activity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:42

L18	18	(US-20050125807-\$ or US-20070011310-\$ or US-20070011308-\$ or US-20070011309-\$ or US-20070011307-\$ or US-20070011306-\$ or US-20070011305-\$ or US-20050114708-\$ or US-20050114708-\$ or US-20050114708-\$ or US-20050114508-\$ or US-20050114508-\$ or US-20050114508-\$ or US-20050114505-\$).did. or (US-7093292-\$ or US-7127743-\$ or US-7017185-\$ or US-5991881-\$ or US-5787253-\$).did.	US-PGPUB; USPAT	OR	ON	2008/08/15 11:20
L19	7	L18 and (updat\$5 near3 index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:20
L20	7	L18 and (updat\$5 near3 index) and index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:21
L21	1	L18 and (hard adj (disk or drive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:26
L22	8	L18 and ((hard adj (disk or drive)) or harddisk or harddrive or non-volatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:26
L23	1687	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and ((data adj structure) or (data adj base) or database) with ((hard adj (disk or drive)) or harddisk or harddrive or "non-volatile")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:43

<b>124</b>	34	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and ((data adj structure) or (data adj base) or database) with ((hard adj (disk or drive)) or harddisk or harddrive or "non-volatile") same (file adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:44
<b>.</b> 25	O	@ad<"20031203" and ("709"/\$3.ccls. or "719"/ \$3.ccls.) and ((data adj structure) or (data adj base) or database) with ((hard adj (disk or drive)) or harddisk or harddrive or "non-volatile") same (file adj system) and (heirarchical near3 file adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:45
<b>L</b> 26	O	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and ((data adj structure) or (data adj base) or database) with ((hard adj (disk or drive)) or harddisk or harddrive or "non-volatile") same (file adj system) and heirarchical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:45
L27	123	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (hierarchical adj file adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:53
<b>L</b> 28	1	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and ((data adj structure) or (data adj base) or database) with ((hard adj (disk or drive)) or harddisk or harddrive or "non-volatile") same (file adj system) and (hierarchical adj file adj system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:54

L29	20	(US-20050125807-\$ or US-20070011310-\$ or US-20070011308-\$ or US-20070011309-\$ or US-20070011307-\$ or US-20070011306-\$ or US-20070011305-\$ or US-20050114708-\$ or US-20050114708-\$ or US-20050114706-\$ or US-20050114508-\$ or US-20050114508-\$ or US-20050114505-\$ or US-20050114505-\$ or US-20050114505-\$ or US-20050114505-\$ or US-20050015461-\$).did. or (US-7093292-\$ or US-7127743-\$ or US-7017185-\$ or US-5991881-\$ or US-5787253-\$ or US-6219708-\$).did.	US-PGPUB; USPAT	OR	ON	2008/08/15 12:29
L30	8	L29 and (classify\$5 or classification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:29
L31	108	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (classify\$5 or classification) near8 (network near2 (event or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:30
L32	26	@ad<"20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (classify\$5 or classification) near8 (network near2 (event or traffic)) and (storing or store or log\$5) near5 (classify\$5 or classification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:30
L33	20	(US-20050125807-\$ or US-20070011310-\$ or US-20070011308-\$ or US-20070011309-\$ or US-20070011306-\$ or US-20070011306-\$ or US-20070011305-\$ or US-20050114708-\$ or US-20050114706-\$ or US-20050114508-\$ or US-20050114508-\$ or US-20050114508-\$ or US-20050114505-\$ or US-20050114505-\$ or US-20050114505-\$ or US-20050015461-\$).did. or	US-PGPUB; USPAT	OR	OZ	2008/08/15 12:44

	***************************************	(US-7093292-\$ or US-7127743-\$ or US-7017185-\$ or US-5991881-\$ or US-5787253-\$ or US-6219708-\$).did.				
L34	7	L33 and (data adj structure) near10 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:44
L35	1581	@ad<"20031203" and ("709"/\$3.ccls. or "719"/ \$3.ccls.) and (data adj structure) near10 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:45
L36	1309	@ad<"20021203" and ("709"/\$3.ccls. or "719"/ \$3.ccls.) and (data adj structure) near10 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:45
L37	4	@ad<"20021203" and ("709"/\$3.ccls. or "719"/ \$3.ccls.) and (data adj structure) near3 "is" near3 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:45
L38	930	@ad<"20021203" and (stor\$5 or writ\$5) near8 ((data adj structure) or object) near8 (harddrive or harddisk or disk) near8 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:08
L39	732	@ad<"20021203" and (stor\$5 or writ\$5) near8 ((data adj structure) or object) near5 (harddrive or harddisk or disk) near5 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:09
L40	681	@ad<"20021203" and (stor\$5 or writ\$5) near8 ((data adj structure) or object) near5 (harddrive or harddisk or disk) near3 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:09
L41	204	@ad<"20021203" and (stor\$5 or writ\$5) near3 ((data adj structure) or object) near3 (harddrive or harddisk or disk) near3 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:09

L42	21	@ad<"20021203" and (writ\$5) near3 ((data adj structure) or object) near3 (harddrive or harddisk or disk) near3 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:13
L43	4	@ad<"20021203" and (writ\$5) near3 ((data adj structure)) near3 (harddrive or harddisk or disk) near3 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:15
L44	9	@ad<"20021203" and (writ\$5) near3 ((data adj structure)) near5 (harddrive or harddisk or disk) near5 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:15
L45	10	@ad<"20021203" and compres\$5 near3 (data adj structure) adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:17
L46	66	@ad<"20021203" and compres\$5 near3 (data adj structure) near2 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:19
L47	803	@ad<"20021203" and compres\$5 near3 (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:29
L48	1	(US-20050125807-\$).did.	US-PGPUB	OR	ON	2008/08/15 14:01
L49	1	L48 and ((computer adj readable) or ("computer- readable") or medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:01

## 8/15/2008 2:07:51 PM

C:\ Documents and Settings\ jmacilwinen\ My Documents\ EAST\ Workspaces\ 727193.wsp